Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	192	@ad<"20020808" and transponder\$3 and interrog\$5 and demo\$5 and decod\$5 psk and fsk and bpsk and ask and bpsk	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 09:47
L2	192	@ad<"20020808" and transponder\$3 and interrog\$5 and demo\$5 and decod\$5 psk and fsk and bpsk and ask	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 09:47
L3	0	@ad<"20020808" and transponder\$3 and interrog\$5 and demo\$5 and decod\$5 and psk and fsk and bpsk and ask	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 09:48
L4	0	@ad<"20020808" and transponder\$3 and interrog\$5 and demo\$5 and decod\$5 and (psk fsk) and bpsk and ask	US-PGPUB; USPAT; USOCR	OR .	ON	2007/04/11 09:49
L5	9	@ad<"20020808" and transponder\$3 and interrog\$5 and demo\$5 and decod\$5 and (psk fsk) and (bpsk ask)	US-PGPUB; USPAT; USOCR	OR	ON .	2007/04/11 10:01
L6	4	@ad<"20020808" and transponder\$3 and interrog\$5 and demo\$5 and decod\$5 and (psk fsk) and (qpsk bpsk) and ask	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 10:05
L7	1	@ad<"20020808" and transponder\$3 and back near3 modu\$6 and demo\$5 and decod\$5 and (psk fsk) and (qpsk bpsk) and ask	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 10:06
L8	5	@ad<"20020808" and transponder\$3 and demo\$5 and decod\$5 and (psk fsk) and (qpsk bpsk) and ask	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 12:31
L9	. '	@ad<"20020808" and second near transponder\$3 and demo\$5 and decod\$5 and (psk fsk ask)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 13:03
L10	4	@ad<"20020808" and second near transponder\$3 and demo\$5 and decod\$5	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 12:34
L11	72	@ad<"20020808" and second near transponder\$3 and (psk fsk ask)	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 13:04
L12	4	("3713148" "4926187" "5374930" "5430447").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/11 16:15

			•			
L13	1	"6531957".pn.	US-PGPUB; USPAT; USOCR	OR	OFF	2007/04/11 16:16
S1	29	2ad<"20020101" and ((different\$1 near2 network\$1) or (two near2 network\$1)) same overlap\$4 and (location position) and (handover handoff) and umts and gsm	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/05 17:28
S2	9	@ad<"20020101" and ((different\$1 near2 network\$1) or (two near2 network\$1)) same overlap\$4 and (location position) and (handover handoff) and umts and gsm	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/05 09:57
S3	1	("5950123").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/05 15:18
S4	771.	2ad<"20020101" and ((different\$1 near2 network\$1) or (two near2 network\$1)) and (handover handoff) and umts and gsm	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/05 17:28
S5	212	@ad<"20020101" and ((different\$1 near2 network\$1) or (two near2 network\$1)) and (handover handoff) and umts and gsm	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/05 18:04
S6	136	S5 and "455"/\$.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/05 17:29
S7	7	@ad<"20020101" and ((different\$1 near2 network\$1) or (two near2 network\$1)) and emergen\$3 same (handover handoff) and toleranc\$3 and "455"/\$.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/05 18:08
S8	19	@ad<"20020101" and ((different\$1 near2 network\$1) or (two near2 network\$1)) and emergen\$3 same (handover handoff) and "455"/\$. ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 13:43
S9	0	@ad<"20020101" and ((different\$1 near2 network\$1) or (two near2 network\$1)) and (handover handoff) and estimat\$3 same (location position) same toleran\$4 and "455"/\$.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 13:46
S10	2	@ad<"20020101" and ((different\$1 near2 network\$1) or (two near2 network\$1)) and estimat\$3 same (location position) same toleran\$4 and "455"/\$.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 13:51

S11	197	@ad<"20020101" and estimat\$3 same (location position) and toleran\$4 and "455"/\$.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 13:52
S12	20	S11 and first near2 network	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 16:49
S13	0	@ad<"20050101" and (location position) with determin\$4 and (radio rf) same quality and fad near2 reck\$6 and first near2 (cell (base near2 station))	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 16:59
S14	8	@ad<"20050101" and (location position) with determin\$4 and (radio rf) same quality and dead near2 reck\$6 and first near2 (cell (base near2 station))	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/06 17:04
S15	37	@ad<"20050101" and (location position) and dead near2 reck\$6 and first near2 (cell (base near2 station))	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 06:37
S16	204	@ad<"20050101" and optical with (location position) and first near2 (cell (base near2 station)) and (position horizontal vertical time) near2 preci\$5	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 06:50
S17	6	S16 and map\$3 and dead adj recko\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF ,	2006/10/10 06:50
S18	6	S16 and dead adj recko\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 07:02
S19	0	@ad<"20050101" and optical near2 (location position) and first near2 (cell (base near2 station)) and (position horizontal vertical time) near2 preci\$5 and camera near2 parameter\$3	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 06:53
S20		@ad<"20050101" and determ\$5 near2 (location position) and first near2 (cell (base near2 station)) and (position horizontal vertical time) near2 preci\$5 and camera near2 parameter\$3	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 06:54

	,			,		
S21	1	@ad<"20050101" and determ\$6 with (location position) and first near2 (cell (base near2 station)) and (position horizontal vertical time) near2 preci\$5 and camera near2 parameter\$3	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/10 06:55
S22	4	@ad<"20050101" and determ\$6 with (location position) and first near2 (cell (base near2 station)) and (position horizontal vertical time) near2 preci\$5 and camera and "455"/\$.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/10 06:57
S23	32	@ad<"20050101" and determ\$6 with (location position) and first near2 (cell (base near2 station)) and (position horizontal vertical time) near2 preci\$5 and weight\$3 and "455"/\$.ccls.	US-PGPUB; USPAT; JPO; DERWENT	OR	ON	2006/10/10 07:01
S24	7255	@ad<"20050101" and determ\$6 with (location position) and first near2 (cell (base near2 station)) and weight\$3	US-PGPUB; USPAT; JPO; DERWENT	OR .	ON	2006/10/10 07:01
S25	. 16	S24 and dead adj recko\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:08
S26	14673	wireless adj communication same two electromag\$6 same transponder\$1 and demo\$7 and decod\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:26
S27	20984633	S26 ans @ad<"20020909"	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:11
S28	7279	S26 and @ad<"20020909"	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:28
S29	288	S28 and rectif\$5	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/11 12:04
S30	261	S29 and frequency	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:16
S31	2	wireless adj communication same two same electromag\$6 same transponder\$1 and demo\$7 and decod\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:28

			•			
S32	72	wireless adj communication and electromag\$6 same transponder\$1 and demo\$7 and decod\$4	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:28
S33	26	S32 and @ad<"20020909"	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:46
S34	2	"5434572".pn.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/10 17:47
S35	9	("4381562" "4388690" "4963887" "5144314" "5245332" "5287112" "5311185" "5347280" "5374930").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/11 06:34
S36	767	@ad<"20020808" and (two plurality multip\$6) with transponder\$3 same (read\$3 writ\$3)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/11 12:02
S37	30	S36 and (wireless contactless) and demo\$6 and modu\$6	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/11 06:38
S38	4	("4006477" "4471344" "4804961" "5053774").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/10/11 07:01
S39	170	@ad<"20020808" and (plurality multip\$6) with transponder\$3 and (read\$3 writ\$3) and transponder\$3 same second same decod\$4	US-PGPUB; USPAT; USOCR	OR ·	ON	2006/10/12 09:36
S40	51	S39 and rectif\$5	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/10/11 12:04
S41	48	@ad<"20020808" and (plurality multip\$6) with transponder\$3 and (read\$3 writ\$3) and transponder\$3 with second with decod\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/11 12:07
S42	23	@ad<"20020808" and ((plurality multip\$6) with transponder\$3) and transponder\$3 same second near2 decod\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/11 16:56
S43	43	@ad<"20020808" and transponder\$3 same second near2 decod\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/11 16:56
S44	129	@ad<"20020808" and transponder\$3 same second with decod\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/12 10:14

S45	1	"20020105376"	US-PGPUB; USPAT; USOCR	OR .	ON	2006/10/12 10:05
S46	89	@ad<"20020808" and transponder\$3 with second with decod\$4	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/23 17:02
S47	15	@ad<"20020808" and transponder\$3 same (second near decod\$4)	US-PGPUB; USPAT; USOCR	OR	ON	2006/10/12 10:19
S48	88	@ad<"20020808" and transponder\$3 same frequency same ("13.56" or "847.5" or "106. 5")	US-PGPUB; USPAT; USOCR	OR	ON	2007/04/11 08:45